

according to 1907/2006/EC, Article 31

Printing date 18.10.2016 Version number 11 Revision: 18.10.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Hardening agent/ Curing agent
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SCHOMBURG GmbH & Co. KG

Aquafinstr. 2-8 D-32760 Detmold Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

· Informing department:

Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106

email: guido.herfort@schomburg.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:

Benzyl alcohol

3-aminomethyl-3,5,5-trimethylcyclohexylamine

triethylenetetramine

4,4'-Isopropylidendiphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Version number 11 Revision: 18.10.2016 Printing date 18.10.2016

Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))

(Contd. of page 1)

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Store locked up. P405

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

 PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

 3.2 Chemical characterisation: Mixtures · **Description**: modified polyamine product

Dangerous components:

Benzyl alcohol CAS: 100-51-6 25-50%

EINECS: 202-859-9 **(**) Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319

CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine 10-25%

EINECS: 220-666-8 Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412

CAS: 112-24-3 triethylenetetramine 10-25%

EINECS: 203-950-6 📀 Skin Corr. 1B, H314; 🗘 Acute Tox. 4, H302; Acute Tox. 4, H312;

Skin Sens. 1, H317; Aquatic Chronic 3, H412

4,4'-Isopropylidendiphenol, oligomeric reaction products with 1-chloro- 2.5-10% CAS: 38294-64-3

2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-

trimethylcyclohexylamine

Skin Corr. 1B, H314; Eye Dam. 1, H318;
 Skin Sens. 1, H317;

Aquatic Chronic 3, H412

CAS: 38294-69-8 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-

chloro-2.3-epoxypropane, reaction products with triethlenetetramine

(1) Skin Irrit. 2, H315; Eye Irrit. 2, H319

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

It is possible to choke in case of vomiting in unconsciousness.

Bring unconscious persons into a stable position on side.

Keep the respiratory tract free (remove dentures and vomiting).

Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.

Take up a doctor immediately!

(Contd. on page 3)

2.5-10%

according to 1907/2006/EC, Article 31

Printing date 18.10.2016 Version number 11 Revision: 18.10.2016

Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))

(Contd. of page 2)

After inhalation

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

Change immediately contaminated clothes.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

Show the pack or the label to the doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

5.2 Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Follow the emergency-plan.

Burst- and explosion-danger by increaseing pressure.

In case of fire chill the container with water spray.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from children.

- · Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 18.10.2016 Version number 11 Revision: 18.10.2016

Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))

(Contd. of page 3)

· Further information about storage conditions:

Keep container tightly sealed.

Store in a locked cabinet and out of the reach of children.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available.

8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Clean skin only with cleaning agent especially for epoxy resin.

Don't use solvent for skin cleaning!

Clean clothes which are contaminate with epoxi resin before unsing again.

Instantly remove any soiled and impregnated garments.

Avoid contact with the eyes and skin.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Butyl rubber II R: Thickness ≥ 0,5mm; Break through time ≥ 480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Colour: According to product specification

· Smell: Characteristic

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

| 31 | _ | | |
|------------------------|---|------------------------------|--|
| · Flash point: | | Not applicable | |
| · Self-inflammability: | | Product is not selfigniting. | |
| · Danger of explosion: | | Product is not explosive. | |
| · Density at 20 °C | | 1.02 g/cm³ | |

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 18.10.2016 Version number 11 Revision: 18.10.2016

Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))

(Contd. of page 4)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Viscosity:

dynamic at 20 °C: 110 mPas

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidizing agents
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

100-51-6 Benzyl alcohol

Oral LD50 1570 mg/kg (rats)

Inhalative LC50 11 mg/l

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1030 mg/kg (rats) Dermal LD50 1840 mg/kg (rats)

112-24-3 triethylenetetramine

Oral LD50 1716.2 mg/kg (rats)
Dermal LD50 1465.4 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 18.10.2016 Version number 11 Revision: 18.10.2016

Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))

(Contd. of page 5)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | |
|--|---|
| · 14.1 UN-Number · ADR, IMDG, IATA | UN2735 |
| · 14.2 UN proper shipping name · ADR · IMDG, IATA | 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, ISOPHORONEDIAMINE) AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, ISOPHORONEDIAMINE) |
| · 14.3 Transport hazard class(es) | |
| · ADR, IMDG, IATA · Class | 8 Corrosive substances. |
| · Label | 8 |
| · 14.4 Packing group · ADR, IMDG, IATA | III |
| · 14.5 Environmental hazards: · Marine pollutant: | No |
| · 14.6 Special precautions for user · Kemler Number: · EMS Number: | Warning: Corrosive substances. 80 F-A,S-B |
| | (Contd. on page |

according to 1907/2006/EC, Article 31

Printing date 18.10.2016 Version number 11 Revision: 18.10.2016

Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))

| | (Contd. of page 6) |
|---|---|
| · Segregation groups | Alkalis |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| ADR Limited quantities (LQ) Transport category Tunnel restriction code | 5L 3 E |
| · UN "Model Regulation": | UN2735, AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, ISOPHORONEDIAMINE), 8, III |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Water hazard class:

Water hazard class 2 (Self-assessment): hazardous for water.

The classification based on german instructions.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eve damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2016 Version number 11 Revision: 18.10.2016

Trade name: ASODUR-G-1275 (B-Komp.)(INDUFLOOR-IB 1275 (B-Komp.))

(Contd. of page 7)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.