Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER SCHOMBURG GmbH & Co. KG

PRODUCT NAME ASODUR-SG3-Superfast

Product Rating

- The product meets the requirements of quality level 1 to 3 and contributes to achieve 75 (of max. 100 achievable) checklist points according to criterion 'ENV1.2 Local Environmental Impact'.
- The product has an industry-wide Environmental Product Declaration (EPD), which can be used for the life cycle assessment according to criteria 'ENV 1.1' and 'ENV2.1'.

Criterion ENV 1.2 Risks for the Local Environment - Ecological Quality

Quality Level 1 10 Checklist Points

Quality Level 2 50 Checklist Points

Quality Level 3 75 Checklist Points

√

Quality Level 4 100 Checklist Point

X

Criterion ENV 1.3.1 Sustainable Resources - Ecological Quality*

Quality Level 1 10 Checklist Points

Quality Level 2 50 Checklist Points



Quality Level 3 100 Checklist Points

Product Characteristics

Rapid setting two component epoxy resin, primer, mortar, drainage resin and casting resin. For priming cement-based surfaces, which are to be coated with ASODUR-/INDUFLOOR systems. For producing repair mortars, which will be trafficked again promptly. For producing levelling compounds and scratch coats as a substrate preparation measure before applying coatings. Can be used to flood repair cracks in screeds to DIN EN 13813. For producing epoxy resin screeds, repair mortars and drainage mortars. Tested to EN 1504-2. Very low emissions - GEV EMICODE EC1-R PLUS.

- Credit requirements fulfilled the action level is achieved
- O Credit is not applicable to this product
- 22% X% of the product comply with the credit requirement
- Required data not specified for required data contact manufacturer
- X Credit requirements are not fulfilled

About DGNB Products - www.dgnb.de

This declaration helps to assess products easily according the certification system DGNB® Neubauversion Büro- und Verwaltungsgebäude (NBV15). Products are not reviewed or certified by DGNB. DGNB credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. Therefore the project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve DGNB points.

Above you find an explanation of the symbols. Detailed information are on the next pages.

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The data sheet is only valid as DGNB evidence in conjunction with the manufacturer's declarations and product certificates that prove the information given in this declaration. This declaration is no official certificate in terms of DGNB. The contents are based on manufacturer specifications. In spite of a diligent treatment of lall information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the DGNB criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the DGNB requirements. The user of this declaration, the consumer of the product and the consultant/plannar, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration conger be considered to be valid. The latest version is available in the internet. HOINKA GmbH • greenbuildingproducts.eu • Lembergweg 7/1 • 71067 Sindelfingen • Tel. +49 7031 7659-444 • Fax +49 7031 7659-443 • www.greenbuildingproducts.eu • contact@greenbuildingproducts.eu • Ceschâfsführer: Dipl.-Ing. Thomas Hoinka

 $[\]circ$

^{*} This criterion is only applicable to wooden materials.

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER SCHOMBURG GmbH & Co. KG

ASODUR-SG3-Superfast **PRODUCT NAME**

Topic	Number	Criteria	Relevance	Evaluation
	ENV1.1	Life cycle Assessment - Emissions	✓	An industry-wide Environmental Product Declaration (EPD) does exist for this product.
	ENV1.2	Local environmental impact	✓	Quality Level 3 is fulfilled
	ENV1.3.1	Responsible procurement (Wood)		
Environmental Quality (ENV)	ENV1.3.3	Responsible procurement (Natural Stone)		
	ENV2.1	Life cycle Assessment - Primary Energy	✓	An industry-wide Environmental Product Declaration (EPD) does exist for this product.
	ENV2.2	Potable water demand and wastewater volume		
	ENV2.3	Land Use		
	ECO1.1	Building-related life-cycle costs		
Economic Quality (ECO)	ECO2.1	Suitability for conversion		
	ECO2.2	Marketability		
	SOC1.1	Thermal Comfort		
	SOC1.2	Indoor Air Quality		
	SOC1.3	Acoustic Comfort		
	SOC1.4	Visual Comfort		
	SOC1.5	Occupant control		
	SOC1.6	Quality of stay outdoor / indoor		
	SOC1.7	Safety		
Sociocultural and Functional Quality (SOC)	SOC2.1	Access for all		
, (202,	SOC2.2	Public access		
	TEC1.2	Noise protection		
	TEC1.3	Building envelope quality		
	TEC1.4	Adaptability of Technical Systems		
	TEC1.5	Ease of cleaning and maintenance		
	TEC1.6	Ease of dismantling and recycling		
	TEC3.1	mobility infrastructure		
	PRO1.1	Project preparation and planning		
	PRO1.3	Conceptual design and optimization in the planning		
	PRO1.4	Sustainability aspects in tender phase		
	PRO1.5	Documentation for Facility Management		
Process Quality (PRO)	PRO1.6	Design and urban quality		
	PRO2.1	Environmental impact of construction		
	PRO2.2	Construction quality assurance		
	PRO2.3	Systematic commissioning		
	SITE1.1	Site location risks		
	SITE1.2	Public image and social conditions		
Site Quality (SITE)	SITE1.3	Access to transportation		
	SITE1.4	Access to specific-use facilities		

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER SCHOMBURG GmbH & Co. KG

PRODUCT NAME ASODUR-SG3-Superfast

Product assessment for criteria ENV1.2 - Local environmental impact

The product fulfills the requirements for Quality Level 1-3

Assessment: Quality Level 3

Goals and Relevance

Certain materials, construction products and preparations are a risk for soil, air, groundwater and surface water as well as for human's health, flora and fauna. In order to minimize risks for humans and the local environment, materials, (construction) products and preparations need to be reduced ,avoided or substituted, which due to their material properties or ingredients are a risk for surface and ground water, soil or air. Especially those materials, (construction) products and preparations must be reduced ,avoided or replaced, which affect human health, flora and fauna or harm within a short-, medium / or long-term period . This affects the entire life cycle - from production, processing at site, use of (building) inventory and disposal (dismantling, recycling, landfilling). These local risks are assessed material and product related. Hence eco-and human toxicological impact categories of LCA can not be applied due to lack of evaluation and measurement procedures.

Product Assessment

	Relevant Products	Requirements of Quality Levels		Assessment of Product	Evaluation
8	Primers, primer coatings, putties AND adhesives under wall AND floor coverings (eg tiles, carpets, wooden floors, resilient flooring -	Quality Level 1	Theproduct belongs to GISCODE- group D1, RU 0,5, RU 1, RE1 or RS10?		
	except wallpaper) Subject: All installation materials AND auxiliary substances for coating of surfaces (wall & floor)	Quality Level 2	The product is EMICODE certified (EC1, EC1PLUS, EC1-R, EC1PLUS-R) or Blauer Engel certified (RAL UZ 113)	The product meets the requirements	
		Quality Level 3	The product is EMICODE certified (EC1, EC1PLUS, EC1-R, EC1PLUS-R) or Blauer Engel certified (RAL UZ 113)	for EMICODE EC1 Plus R.	Quality Level 4
		Quality Level 4	The product is EMICODE certified (EC1, EC1PLUS, EC1-R, EC1PLUS-R) or Blauer Engel certified (RAL UZ 113)		

Relevant Products		Requirements of Quality Levels		Assessment of Product	Evaluation
9	Barrier coatings, floor resins, sealings under tiles	Quality Level 1	GISCODE D1, RE0, RE 1, RU 0,5 orr RU 1		
		Quality Level 2	GISCODE D1, RE0, RE 1, RU 0,5 orr RU 1	The product meets the requirements for EMICODE EC1 Plus R.	Quality Level 4
		Quality Level 3	GISCODE D1, RE0, RE1, RU 0,5, RU 1 or EMICODE EC1		
		Quality Level 4	EMICODE EC1, EC1 PLUS , EC1- R or EC1 PLUS -R		

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER SCHOMBURG GmbH & Co. KG

PRODUCT NAME ASODUR-SG3-Superfast

Relevant Products		Requirements of Quality Levels		Assessment of Product	Evaluation
23	Epoxy surface-coatings of floor, ceiling and wall - also in system structures	Quality Level 1	GISCODE RE0, RE1, RE2		
	Subject: seals, 2-component epoxy	Quality Level 2	GISCODE RE0, RE1		
	coatings, EP floor coatings - except OS systems for parking, etc.	Quality Level 3	GISCODE RE0, RE1		
		Quality Level 4	GISCODE RE0 and RE1 + Building approval in system (building permit AbZ) or a certificate of compliance to DIN V 18026: 2006-6 together with evidence of compliance with emission requirements of AgBB by DIBt recognized testing authority	GISCODE RE 1	Quality Level 3

Other remarks on classification

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER	SCHOMBURG GmbH & Co. KG
PRODUCT NAME	ASODUR-SG3-Superfast

The product contains the following components:	Mass per unit [%]
K1 ASODUR-SG3-Superfast	100%